

# TECHNICAL GUIDE COCOBEACH



*Cocobeach, cost-effective and natural access mat*

## SUMMARY

|  |    |
|--|----|
| General characteristics                  | 02 |
| Product accessories                      | 02 |
| Applications and installation conditions | 02 |
| Warranty                                 | 03 |

# GENERAL CHARACTERISTICS

## DIMENSIONS / TECHNICAL INFORMATION :

|                        |                |
|------------------------|----------------|
| <b>2 Widths:</b>       | 1m – 2m        |
| <b>Length:</b>         | on request     |
| <b>Thickness :</b>     | 10 mm          |
| <b>Material:</b>       | Coconut fibers |
| <b>Weight per sqm:</b> | 1,950 kilos    |
| <b>Delivery:</b>       | as a roll      |

## KEY ADVANTAGES :

- 100% natural and biodegradable material
- Economical solution
- Blends in with the landscape
- Quick installation and removal
- Allows you to create temporary access to your terraces, private beaches
- Lifespan: 2-3 years.
- Easy to create turns

# PRODUCT ACCESSORIES

**Stainless steel pikes** (available in 30 cm or 50 cm length) to anchor the mat in the sand.

# APPLICATION AND INSTALLATION CONDITIONS

## NECESSARY TOOLS:

- Hammer • Broom

1 or 2 people can easily install and remove the Cocobeach

## INSTALLATION / THE DIFFERENT STAGES :

### Step 1 : Levelling the floor

Simply level the sand with a broom and then unroll the mat.

### Step 2 : Fixing the mat to the floor

Once your mat is unrolled on the ground, anchor the spikes into the eyelets with a hammer

### Special case: Creating a curve

To create a curve, simply superimpose two mats and anchor the lower mat with the stake of the upper mat. Even without an eyelet, the lower Cocobeach mat will be flexible enough to allow the spike to pass through.

## UNINSTALL / THE DIFFERENT STAGES :

### Step 1 : Sweep the mat

It is recommended to sweep the mat before rolling it up so the sand will not weight it down.

### Step 2 : Remove the spikes

Spiked are anchored through eyelets. If the spikes are firmly anchored, it may be necessary to use a pair of pliers.

### Step 3 : Roll up the mat

Once the mat is completely dry, roll it up and use the carrying strap provided with the mat for handling and storage. It should not be stored when it is wet.

## MAINTENANCE :

The mat does not require any special maintenance apart from minimal cleaning.

It is recommended to shake the Cocobeach mat regularly or to use a low pressure water jet to remove sand from its surface.

## WARRANTY

***AccessRec Europe offers a two (2) year limited warranty from the date of purchase. This warranty only covers manufacturing defects of the product. Alterations due to normal use are not considered as manufacturing defects. Damage caused by vandalism or passing vehicles (other than those intended for normal use of the product) is not covered by the warranty.***

The warranty does not apply to :

- normal wear and tear of the gratings
- misuse, maintenance or storage of the solution.
- an accident or natural disaster
- changes that have been made to the solution without the written consent of AccessRec Europe.
- repairs that have been made without the written consent of AccessRec Europe.
- labour or shipping costs that may be necessary if repairs are being considered.

If you are not satisfied with the conditions or repairs that have been made, please contact directly AccessRec Europe. Products may not be returned without the consent of AccessRec Europe. The guarantee of two (2) years is only applicable to the original purchaser.